

GOLD fren[®]




**CAR CLUTCHES
2022**

CAR CLUTCHES 2021

Each clutch consists of 2 main elements – clutch hub and clutch disc that are rivetted together. The hub has grooving to fit into a specific clutch shaft. Large automotive companies, like VW use the same clutch shaft for SEAT, Skoda, AUDI and other brands from the specific time period.

In this catalogue, you will find clutches with sintered brake segments, which are manufactured by our company GOLDfren for well-known automotive brands.

Since the shaft will fit into specific grooving, it is necessary to count and measure the shaft properly.




In the table below, we list some basic information for clutches:

BASIC INFORMATION

TEETH	GROOVE Ø	DISC OUTER Ø	CAR MODELS	GROVE DESIGN
10	20.20 mm	180-190 mm	ŠKODA 100, 110, 120, 130	008
14	25.00 mm	228 mm	OPEL ASTRA "G" F23	016
17	20.20 mm		FIAT	007
18	20.20 mm	190 mm	ŠKODA FAVORIT, FELICIA, FABIA	024
18	20.90 mm	200 mm	CITROËN SAXO, BERLINGO, C2, C3, C4, FIAT FIORINO, QUBO PEUGEOT 106, 206, 207, 306, 307	021
20	22.40 mm	200 mm / 225 mm	LADA, FIAT, LANCIA, TOYOTA	003
20	22.40 mm	230 mm	MITSUBISHI LANCER, OUTLANDER	003
22	30.20 mm	184 mm	ŠKODA WRC	011
23	24.60 mm	240 mm	ŠKODA OCTAVIA II, VW, AUDI, SEAT	019
23	26.10 mm		1" (COSWORTH)	013
23	30.20 mm		MITSUBISHI LANCER EVO 4x4 SUBARU IMPREZA	001
24	20.80 mm		VW POLO	017
24	26.10 mm		HONDA CIVIC	002
28	22.20 mm	215 mm / 220mm / 225 mm / 228 mm	ŠKODA OCTAVIA I, AUDI, SEAT	006

GROOVING





SPN001-015

GROOVING ID
CLUTCH HUB ID
CLUTCH PRODUCT PREFIX

SPN001-015


ČÍSLO DRÁŽKOVÁNÍ
TYP NÁBOJE
IDENTIFIKÁTOR SPOJEK


RIVETS 8 × Ø 8.4 mm × Ø 56 mm
SPN001(8)

SPN002(8)


	184 mm	190 mm	200 mm	216 mm	228 mm	240 mm
4-ARM		SP053.A4R 	SP050.A4S 		SP046.A4S 	
5-ARM				SP064.A5R 	SP061.A5S 	SP051.A5R
6-ARM	SP063.A6S 				SP065.A6R 	SP066.A6R

DISC	TYPE	MAX HEIGHT
SP046.A4S	SINTERED	9,00 mm
SP050.A4S	RIVETED	8,00 mm
SP051.A5R	RIVETED	8,00 mm
SP053.A4R	RIVETED	8,50 mm
SP061.A5S	SINTERED	8,50 mm
SP063.A6S	SINTERED	8,75 mm
SP064.A5R	RIVETED	8,20 mm
SP065.A6R	RIVETED	8,50 mm
SP066.A6R	RIVETED	8,50 mm


RIVETS 6 × Ø 6.7 mm × Ø 53,95 mm




	140 mm	184 mm	200 mm	228 mm	240 mm
6-ARM		SP030.A6S 			

DISC	TYPE	MAX HEIGHT
SP030.A6S	SINTERED	7,30 mm

RIVETS 8 × Ø 6.7 mm × Ø 53,95 mm




RIVETS 8 × Ø 5.1 mm × Ø 63 mm




	184 mm	190 mm	216 mm	228 mm	240 mm
4-ARM	SP033.A4S				
DISC	TYPE		MAX HEIGHT		
SP033.A4S	SINTERED		7,20 mm		

RIVETS 8 × Ø 6.6 mm × Ø 63 mm



	140 mm	184 mm	189 mm	228 mm	240 mm
4-ARM			SP047.A4R		
DISC	TYPE		MAX HEIGHT		
SP047.A5S	SINTERED		8,50 mm		

RIVETS 8 × Ø 5.0 mm × Ø 42 mm









	163 mm	180 mm	189 mm	228 mm	240 mm
3-ARM	SP035.A3S 	SP034.A3S 			













DISC	TYPE	MAX HEIGHT
SP034.A3S	SINTERED	6,00 mm
SP035.A3S	SINTERED	7,10 mm



CLUTCH DISCS FOR ORIGINAL HUBS

	137 mm	140 mm	180 mm	182 mm	184 mm
3-ARM					
4-ARM					SP021.A4S  8 × Ø 6.0 mm × Ø 56 mm SP023.A4R  12 × Ø 6.5 mm × Ø 54 mm NOTE: DOESN'T FIT SPN005(6)
5-ARM		SP022.A5S  6 × Ø 6.0 mm × Ø 54 mm			
6-ARM	SP059.A6S  12 × Ø 5.6 mm × Ø 76 mm		SP058.A6S  12 × Ø 5.6 mm × Ø 76 mm	SP054.A6S  12 × Ø 5.0 mm × Ø 113.5 mm	

CLUTCH DISCS FOR ORIGINAL HUBS

	200 mm	220 mm	234 mm	240 mm	257 mm
3-ARM				SP020.A3S  27 × Ø 5 mm × Ø 135.8 mm	
4-ARM	SP037.A4S  12 × Ø 4.35 mm × Ø 85.5 mm	SP039.A4S  24 × Ø 5.16 mm × Ø 112.6 mm		SP036.A4S  27 × Ø 5 mm × Ø 134 mm	SP044.A4R  24 × Ø 5.16 mm × Ø 126.8 mm
	SP038.A4S  8 × Ø 6.7 mm × Ø 56 mm	SP041.A4S  27 × Ø 5 mm × Ø 134 mm			
	SP040.A4S  6 × Ø 8.5 mm × Ø 55.75 mm	SP052.A4R  16 × Ø 5.4mm × Ø 134.3 mm			
5-ARM				SP048.A5R  27 × Ø 5 mm × Ø 134 mm	
6-ARM	SP049.A6R  12 × Ø 5.2 mm × Ø 121 mm		SP055.A6R  8 × Ø 5.0 mm × Ø 121 mm		

**CLUTCH DISCS FOR ORIGINAL HUBS**

DISC	TYPE	MAX HEIGHT
SP020.A3S	SINTERED	6,60 mm
SP021.A5S	SINTERED	2,60 mm
SP022.A5S	SINTERED	5,60 mm
SP023.A4R	RIVETED	7,10 mm
SP036.A4S	SINTERED	8,00 mm
SP037.A4S	SINTERED	3,00 mm
SP038.A4S	SINTERED	3,00 mm
SP039.A4S	SINTERED	7,50 mm
SP040.A4S	SINTERED	9,00 mm
SP041.A4S	SINTERED	8,50 mm
SP044.A4R	RIVETED	9,00 mm
SP048.A5R	RIVETED	8,00 mm
SP049.A6R	RIVETED	4,05 mm
SP052.A4R	RIVETED	8,00 mm
SP054.A6S	SINTERED	3,00 mm
SP055.A6R	RIVETED	9,00 mm
SP058.A6S	SINTERED	8,75 mm
SP059.A6S	SINTERED	5,00 mm



SPACEK PRODUCT

Poběžovice 29, 534 01 Holice,
Czech Republic

Tel.: +420 466 682 065

Tel.: +420 466 009 452

Fax: +420 466 682 027

E-mail: goldfren@goldfren.com

Distributed by

www.goldfren.com